

MOBIELE TORENKRANEN MOBILE TOWER CRANES

10 t

SK1265-AT6-elift



Gieklengte
Mast length
60m



Ballast
Counterweight
13,6t



Stempelbasis
Outriggers
7,95x7,66m

Electrical power connection / Stroomaansluiting

To operate the crane in electric mode it needs to be connected to a grid connection which is often available at most job sites. The system can be operated between 11A and 32A which can be preset at the display. This crane is 'plug in Electric' and can optionally run electrically. The crane is powered by a hybrid 55 kw Diesel engine (Stage V) as standard.

Om de kraan kan optioneel in elektrische modus werken. Deze moet worden aangesloten op een netaansluiting, welke op de meeste bouwplaatsen beschikbaar is. Het systeem kan worden bediend tussen 11A en 32A wat vooraf op het display kan worden ingesteld. De kraan zal standaard hybride draaien op de 55 KW Euro 6 dieselmotor in de bovenbouw.

De informatie binnen dit document is enkel voor richtlijnen en kan onderhevig zijn aan veranderingen.

© M.J. van Riel. Alle rechten voorbehouden.


Tabelwaarden zijn exclusief hijsmiddelen.

The information contained in this document is for guidance only and may be subject to change.


© M.J. van Riel. All rights reserved.

Table values are without lifting equipment.

Afmetingen / Dimensions



Werkbereik / Working ranges



MOBIELE TORENKRANEN MOBILE TOWER CRANES

10 t

SK1265-AT6-elift



60m



13,6t



7,95x7,66m



360°

	60		
	0°	30°	
3,5	10	5	3,5
13,2	10	5	13,2
14	9,335	5	14
15	8,61	5	15
16	7,985	5	16
17	7,445	5	17
18	6,965	5	18
19	6,545	5	19
20	6,17	5	20
21	5,83	5	21
22	5,53	4,74	22
23	5,255	4,5	23
24	5	4,285	24
25	4,775	4,085	25
26	4,56	3,905	26
27	4,37	3,735	27
28	4,19	3,58	28
29	4,025	3,44	29
30	3,87	3,305	30
31	3,725	3,18	31
32	3,59	3,065	32
33	3,465	2,955	33
34	3,35	2,855	34
35	3,235	2,755	35
36	3,13	2,665	36
37	3,035	2,58	37
38	2,94	2,5	38
39	2,855	2,425	39
40	2,77	2,35	40
41	2,69	2,285	41
42	2,615	2,22	42
43	2,545	2,155	43
44	2,475	2,095	44
45	2,41	2,04	45
46	2,345	1,985	46
47	2,29	1,935	47
48	2,23	1,885	48
49	2,175	1,84	49
50	2,125	1,795	50
51	2,075	1,75	51
52	2,025	1,7	52
53	1,98		53
54	1,935		54
55	1,89		55
56	1,85		56
58	1,775		58
60	1,7		60

MOBIELE TORENKRANEN MOBILE TOWER CRANES

10 t

SK1265-AT6-elift



60m



13,6t



7,95x5,72m



360°

	60		
	0°	30°	
3,5	10	5	3,5
8,1	10	5	8,1
9	8,78	5	9
10	7,685	5	10
11	6,825	5	11
12	6,695	5	12
13	5,56	4,77	13
14	5,085	4,355	14
15	4,675	4,005	15
16	4,325	3,7	16
17	4,02	3,435	17
18	3,755	3,205	18
19	3,52	3	19
20	3,305	2,815	20
21	3,12	2,655	21
22	2,945	2,505	22
23	2,795	2,37	23
24	2,65	2,25	24
25	2,525	2,14	25
26	2,405	2,035	26
27	2,295	1,945	27
28	2,195	1,855	28
29	2,105	1,775	29
30	2,015	1,7	30
31	1,935	1,63	31
32	1,86	1,565	32
33	1,79	1,505	33
34	1,725	1,445	34
35	1,66	1,395	35
36	1,605	1,34	36
37	1,55	1,295	37
38	1,495	1,25	38
39	1,445	1,205	39
40	1,4	1,165	40
41	1,355	1,125	41
42	1,315	1,09	42
43	1,275	1,055	43
44	1,235	1,025	44
45	1,2	0,99	45
46	1,165	0,96	46
47	1,13	0,93	47
48	1,1	0,905	48
49	1,065	0,88	49
50	1,04	0,85	50
51	1,01	0,83	51
52	0,985	0,8	52
53	0,955		53
54	0,93		54
55	0,91		55
56	0,885		56
58	0,84		58
60	0,8		60